

Cumulative Index 1987

Volume 14

<i>January</i>	CRANIOFACIAL SURGERY , pages 1-198
<i>April</i>	BENIGN TUMORS AND CONDITIONS OF THE SKIN AND SUBCUTANEOUS TISSUE , pages 201-430
<i>July</i>	TISSUE EXPANSION , pages 431-578
<i>October</i>	FACIAL AESTHETIC SURGERY: ART, ANATOMY, ANTHROPOMETRICS, AND IMAGING , pages 579-799

Note: Page numbers for entire articles are in **boldface** type.

- Abdomen, cystic lesions of, 337
- Acne, 214-216
- Acne rosacea, 216-217
- Acne scars, classification of, 262
medical treatment of, 262-265
pathophysiology of, 261-262
surgical treatment of, **261-276**
- Acne vulgaris, surgical treatment of, 265-276
- Actinic keratosis(es), clinical findings in, 414-415
differential diagnosis of, 415
etiology and incidence of, 414
history of, 413-414
prognosis in, 416
treatment of, 415-416
- Adenoma(s), 234
- Aesthetic analysis, 588
- Aesthetic anatomy, classification of, 739-745
- Aesthetic judgment, 586
- Airway obstruction, in craniofacial anomalies, 18, 20-21
- Alloplastic materials, for grafts in craniofacial surgery, 29-31, 32
- Alopecia. See *Baldness*.
- Amblyopia, following cranio-orbital surgery, prevention of, 159
- Anesthesia, for craniofacial procedures, **17-26**
for intraoperative sustained limited expansion, 568
for scalp expansion, 474
- Aneurysm(s), of hand, 410
- Anthropometric guidelines, in cranio-orbital surgery, **1-16**
- Anthropometric landmarks, for precision planning in rhytidectomy, **639-661**
- Anthropometrics, and art in aesthetics of women's faces, **599-616**
- Antibiotics, in acne, 264
in breast reconstruction with tissue expanders, 493, 496
in hemifacial microsomia, 99
- Apert's syndrome, craniofacial stenosis in, 106, 108-109
craniosynostosis in, 62, 70, 71, 75, 79
increased intracranial pressure in, 188
spinal defects in, 190
- Aperture, vertical opening of, 717-718
- Apocrine glands, 207-208, 383, 384
- Aponeurosis, anatomy and function of, 698-699
and orbital septum, union of, 714
levator, lateral fornices of, 715
- Appearance, change in, psychosocial aspects of, 167
importance of, 163
social significance of, 164
- Arm, tissue expansion in, 535, 536, 537
- Art, and anthropometrics, in aesthetics of women's faces, **599-616**
concepts from, for plastic surgeon, **585-598**
in physiognomy of face, 599
love, and facial beauty, **579-583**
- Arteriovenolymphatic malformations, 372-377
- Arteriovenous fistula, 351-353, 376, 409-410
- Artist, primary considerations for, 585
- Attractiveness, positive self-image in, 163-164
social advantages of, 163
- Awareness, eyes and brain and, 585
- Axons, regenerating, in elongation of peripheral nerve, 553
- Back, cystic lesions of, 337, 339
- Baldness, classifications of, 478, 479
following burns, tissue expansion in, 543-545
male pattern, etiology of, 477
expansion-assisted treatment of, **477-490**
incidence of, 477
scalp expansion in. See *Scalp, expansion of, for male pattern baldness*
surgical alternatives in, 477
- Beauty, facial. See *Facial beauty*.
- Benzoyl peroxide, in acne, 263
- Biopsy punch, 237
- Biostereometrics, craniofacial, **617-621**
- Bladder, expansion of, 556
- Blepharoplasty, deforming nature of, 705, 709-711

- Blood flow, capillary, in rapid tissue expansion, 459
 during intraoperative sustained limited expansion, 566
 Blood supply, of calvarial flaps, 37-38, 39
 Blood vessels, axial, elongation of, with tissue expanders.
 See Tissue expander(s), elongation of axial blood vessels with.
 in neurofibromatosis, 126
 of scalp, 478, 479
 Bone(s), autologous, donor sites for, in nasal surgery, 752, 757
 cancellous, use in and around erupting teeth, 33
 composition of, 28
 craniofacial, growth and development of, 27
 displacement of, in enophthalmos, 113, 114
 in orbital neurofibromatosis, 126, 128
 of nose, 744
 Bone graft(s), autogenous, in craniofacial surgery, 31-33
 biology of, 28-29
 for correction of enophthalmos, 172-173
 in craniofacial surgery, 27-35
 types of, and indications for, 29-31
 in hemifacial microsomia, 95
 Bone grafting, modern history of, 28
 tissue expansion for, 149, 150
 Bone paste, demineralized, in craniofacial surgery, 31
 Bowel, small, elongation of, 556-559, 560, 561
 Bowen's disease, clinical findings in, 418, 419
 definition of, 417
 etiology and incidence of, 417
 prognosis in, 420
 treatment of, 418
 Brachial cleft anomalies, cystic, 334-337
 Brachycephaly, description of, 62
 treatment of, 65, 66, 67, 71
 Brain, anomalies of, in frontothmoidal meningoencephaloceles, 85-86
 growth of, and cranio-orbital surgery, 187
 maldevelopment of, cranio-orbital surgery and, 190
 morphology of, in craniostenosis, 56, 58
 relaxation of, for craniofacial surgery, 190
 Breast(s), augmentation of, tissue expander in, 525-526
 congenital anomalies of, permanent implant expander in, 525
 hypoplastic, tissue expansion in, 149-151
 implants in, deflation of, following breast reconstruction, 515-516
 inferior displacement of, following breast reconstruction, 516-517
 pendulous, reconstruction of, elevation of capsule in, 502-504
 submuscular and subcutaneous placement in, 500-502
 using tissue expander, 499-508
 tissue expansion of, following burns, 545, 547
 Breast reconstruction, immediate, with tissue expanders, 491-498
 advantages of, 498
 methods of, 492-495
 patient information for, 491
 patient selection for, 491
 pocket for, 495-497
 tissue expansion for, basic operative technique in, 509-511
 complications of, 515-517
 long-term results of, 509-518
 materials and methods in, 509-511
 overexpansion in, 517
 results of, 511-515
 Bronchogenic cysts, 337
 Brow, and orbital asymmetry, 713-714
 appearance of eye and, 711
 shape and position of, 708
 shaping and contouring of, 716-717
 Burn(s), electrical, rapid tissue expansion in, 460
 management of, role of tissue expansion in, 543-550
 complications in, 547-548
 neck contraction following, expanded flaps in, 531-532
 tissue expansion in, 535-536
 Buttocks, asymmetry of, permanent tissue expander in, 526
 Cafe-au-lait spot, 279, 280
 in neurofibromatosis, 316
 Calvaria, morphology of, 51-52
 Calvarial flaps, advantages of, 41
 anatomy of, 37-40
 design of, based on anatomic studies, 40-41
 disadvantages of, 41
 techniques for use of, 42-47
 vascularized, 37-47
 Canthal tendon, lateral, anatomy of, 696
 in reconstruction of eyelid, 696, 697
 medial, anatomy of, 696
 tumors involving, 696
 Canthoplasty, lateral, with correction of enophthalmos, 173-175
 Canthus, medial, repositioning of, in enophthalmos, 116
 Capillary hemangiomas, 341-345
 Capillary-cavernous hemangioma, 346-349, 350
 Capsule, around silicone expander, 440-442, 443, 444
 contracture of, following tissue expansion for breast reconstruction, 515, 516, 524
 elevation of, in reconstruction of pendulous breast, 502-504
 in rapid tissue expansion, 463
 Capsulopalpebral facial complex, craniofacial surgery and, 156-157, 158
 Carcinoma(s) of breasts, primary reconstruction following, 520, 522, 523, 524
 of chin, intraoperative sustained limited expansion in, 570
 of nose, intraoperative sustained limited expansion in, 571
 Cartilage, banked, in correction of enophthalmos, 173
 bovine, for grafts in craniofacial surgery, 30-31
 lateral, of nose, 740-743
 lyophilized, for grafts in craniofacial surgery, 31
 Cavernous hemangiomas, 345-346, 348
 Cellular blue nevus, 280-286
 CEMAX CAD-CAM system, 663-664
 CEMAX-1500 console, 665
 Cephalocele, definition of, 83
 Cerebrospinal fluid, drainage of, for craniofacial surgery, 190-191
 leak, following craniofacial surgery, 193
 Chalazion, 338
 Chalazion curette, 237
 Cheekbones, analysis of, 597
 Cheeks, analysis of, 597, 598
 Chemical peel, complications of, 270
 Chemoexfoliation, 241-242
 Child(ren), analysis and treatment of hemifacial microsomia in, 91-100
 cystic masses of head and neck in, 327-337
 Chin, analysis of, 597
 Chondroma, 225

- Ciliated cysts, cutaneous, 339
- Collagen, increase of, in tissue expansion, 451-452
- injectable, in acne, 271-276
- Colobomas, congenital, repair of, in cranio-orbital surgery, 161
- Columella, deviated, 743
- hanging, 743
- retrusive, 742-743
- Comedo extractor, 237
- Computed tomography, in craniofacial deformities, 191
- in enophthalmos, 115
- 3-D, background of, 663
- cranio-orbital deformities of craniosynostosis and, 49-60
- for facial implant design and manufacture, 663-676
- in frontoethmoidal meningoencephaloceles, 87, 89
- Computer(s), assisting medical imaging for craniosynostosis, 49
- Computer graphics, interactive, in judgment in rhinoplasty, 623-630
- Computer software, for rhinoplasty, 626
- Cornea, protection of, during cranio-orbital surgery, 159
- Cortical bone, for grafts in craniofacial surgery, 29
- Cosmetics, in Greece in 4th century B.C., 579-580
- in 19th century, 582
- in 16th century, 582
- Counseling, following craniofacial trauma, 167
- preoperative, for scalp expansion in male pattern baldness, 469-470, 482-483
- Cranial bone grafts, in craniofacial surgery, 32-33
- Cranial deformities, adjusting measurements to, 6
- major, 6-10
- Cranial indices, 7
- Craniofacial biostereometrics, 617-621
- Craniofacial bones, growth and development of, 27
- Craniofacial deformity(ies), associated problems in, 190
- basic pathophysiology of, 188
- congenital, in adolescents and adults, 165-166
- in childhood, 164-165
- in infancy, radical treatment of, 101-111
- pathologic states associated with, 188-190
- problems and solutions in, 101-102, 103
- psychosocial considerations in, 163-168
- socioemotional factors and, 188
- stereophotogrammetry in, 617-618
- treatment of, complications of, 109
- operative techniques in, 101-102, 103-107
- results of, 107-109
- Craniofacial dysostoses. *See also Craniosynostosis(es).*
- management of symmetric and asymmetric deformities in, 73-81
- Craniofacial measurements, normal ranges of, age-related changes in, 7-10
- Craniofacial microsomia. *See also Hemifacial microsomia.*
- differential diagnosis of, 177
- treatment of, 177-186
- growth and, 185
- methods of, 177-178
- surgical-anatomic classification and, 178-183, 184
- timing of, 184-185
- Craniofacial mobilization, in craniofacial anomalies, 102, 103
- Craniofacial procedures, airway management for, 20-21
- anesthesia for, 17-26
- blood volume maintenance during, 23-24
- brain volume management in, 22
- fluid management for, 22-24
- intraoperative anesthetic management for, 20-25
- monitoring during, 20
- positioning for, 22
- postoperative care in, 25
- preanesthetic evaluation and preparation for, 17-20
- Craniofacial stenosis, in Apert's syndrome, 106, 108-109
- in Crouzon's disease, 107
- Craniofacial surgery, bone grafts in, 27-35
- types of, and indications for, 29-31
- early radical, operative techniques of, 103-107
- intraoperative concerns in, 191-192
- miniplates in, 101-111
- postoperative concerns in, 192-193
- preoperative evaluation for, 190-191
- timing of, considerations in, 188, 189
- normal physiologic development and, 188
- tissue expansion in, 143-153
- Craniofacial trauma, psychosocial impact of, 166-167
- Cranio-orbital deformities, ethnic differences and, 14
- of craniosynostosis, anatomy of, 49-60
- Cranio-orbital surgery, 159-161
- anatomic review for, 155-157, 158
- anthropometric guidelines in, 1-16
- evaluation of proptosis or exophthalmos for, 158
- examination of patient for, 1-6
- nasolacrimal evaluation for, 157-158
- neurosurgical considerations in, 187-193
- ophthalmic considerations in, 155-162
- planning of, proportion indices in, 14-15
- preoperative concerns in, 159
- timing of, 159
- visual evaluation for, 159
- Cranio-orbital tumors, malignant, diagnosis of, 137
- surgery for, cases illustrating, 139-140, 141
- complications associated with, 142
- intraoperative considerations in, 138-140
- planning of, 137-138, 139
- treatment of, 137-142
- types of, 137
- Craniosynostosis(es), asymmetric, treatment of, 73, 74-75, 76
- diagnosis of, 61-62
- endo- and exocranial bases in, 52-53
- global malpositions in, 55, 56, 57
- in infancy, treatment of, 61-72
- isolated, treatment of, 74-75
- orbital deformities in, 53-56
- possible etiologies of, 56
- surgical treatment of, 63-69
- guidelines for, 74
- materials and methods for, 73-74
- results of, 69-71, 74
- timing of, 71
- sutural pattern of, 50, 51
- symmetric, treatment of, 75-80
- types of, 62-63, 73
- unicoronal, treatment of, 74-75
- Cranium. *See Skull.*
- Crouzon's disease, craniofacial stenosis in, 107
- craniosynostosis in, 62, 69, 70, 71, 79, 80
- spinal defects in, 190
- Crowsfeet, management of, 720
- Cryosurgery, 238-240
- Curette, 238
- Curette, 237
- Cylindroma, apocrine, 234
- Cyst(s). *See also specific cysts.*
- and cyst-like lesions of skin and subcutaneous tissue, 327-340
- epithelial, 403
- in head, 327-339
- in neck, 327-339

- Depression, following craniofacial trauma, 167
 in craniofacial malformation in adults, 166
 Dermabrasion, for nevi, 296-297
 Dermaplaning, complications of, 270
 for nevi, 296-297
 Dermatitis, radiation, 391-401, 405
 Dermatologic disorders, common, 209-222
 Dermis, 203
 human, after expansion, 435-436, 437, 438, 439
 Dermoid cysts, of face, 327-330
 of scalp, 327, 329
 Dermoids, adnexal, correction of, in cranio-orbital surgery, 161
 Draping, for breast reconstruction with tissue expanders, 495
 Dupuytren's nodule, 406
 Dysostoses, craniofacial. *See also Craniosynostosis(es)*.
 management of symmetric and asymmetric deformities in, 73-81
 Dystopia, in craniosynostosis, 55, 56, 57
- Ear(s), analysis of, 595-597
 comparisons of, 608-610
 external, deformity of, in hemifacial microsomia, 92, 97
 measurements and proportions of, 609
 Ear reconstruction, tissue expansion in, 149
 Eccrine glands, 206-207, 383, 384
 Electrocoagulation, 241
 Electrodesiccation, 241
 Electrolysis, 241
 Electroneuromyographic studies, in elongation of peripheral nerve, 552, 553
 Electrosurgery, 240
 Elephantiasis neurofibromatosis, 124, 128
 Emotional support, in scalp expansion, 473-474
 Encephaloceles, frontonasal, 330, 335
 Endocranial base, morphology of, in craniosynostosis, 52-53
 Endotracheal intubation, for craniofacial procedures, 21
 Enophthalmos, correction of, materials for, 169
 patients presenting for, 169-170
 results of, 171-175
 simple method of, 169-175
 surgical procedures for, 169, 170-171
 definition of, 113
 physiopathology of, 169
 post-traumatic, bone displacement and orbital enlargement in, 113, 114
 clinical evaluation in, 115
 deep orbital reconstruction for correction of, 113-121
 fat atrophy in, 114
 fat displacement in, 114-115
 globe position in, determination of, 113
 operative management of, 115-119
 complications of, 119
 results of, 120
 orbital ligament system and, 114
 Entropion, following craniofacial surgery, 157
 Ephelis, 278
 Epicanthal folds, 708, 709
 pseudotelecanthus and, 719
 Epicanthoplasty, modification of, 717
 Epidermal appendages, tumors of, 233-235
 Epidermis, 201-203
 human, after expansion, 435, 436, 437
 Epidermoid cysts, 338
 Epinephrine, in tissue expansion, 550
 Epithelial cysts, 403
 Epithelial tumors, benign, of hand, 403-405
 Epithelioma(s), of Malherbe, calcifying, 234, 330-331, 335, 404
 sebaceous, 234
 Erythema multiforme, 220-222
 Ethnic differences, cranio-orbital deformities and, 14
 in head and face, 601-602, 603
 in nose, 607
 Excision patterns, anthropometric landmarks and, 642-649
 Exocranial base, morphology of, in craniosynostosis, 52-53
 Exophthalmos, evaluation of, for cranio-orbital surgery, 158
 eye shape in, 709
 special considerations in, 715-716
 thyroid, levator muscle in, 701
 Exorbitism, 65-69
 Expansion of tissue. *See Tissue(s), expanded; Tissue expansion.*
 Expert teaching system, for rhinoplasty, 626-629
 Extremity(ies), cystic lesions of, 339
 reconstruction of, intraoperative sustained limited expansion for, 571-572
 tissue expansion of, following burns, 547
 upper, tissue expansion in. *See Tissue expansion, in upper extremity.*
 Eye(s), abnormalities of, in frontoethmoidal meningoencephaloceles, 86
 analysis of, 594-595
 aperture of, 704-705
 beautification of, surgery working against, 709-711
 beautiful, characteristics of, 704-709
 ethnic identity of, preservation of, 711
 evaluation of, for cranio-orbital surgery, 159
 fissure defects of, 11
 in orbital neurofibromatosis, management of, 130-131
 intercanthal tilt of, 705
 regional structures affecting appearance of, 711-713
 special identity of, preservation of, 711
 symmetry of, 706
 Eyebrows, analysis of, 593-594
 Eyelashes, 706
 Eyelid(s), abnormalities of, 11
 anatomy of, 155-156
 art of, and orbital aesthetics, multiracial surgical considerations in, 703-721
 excursion of, 717-718
 folds of, 705-706, 707
 origin of, 715
 supratarsal, alteration of, 718
 management of, in cranio-orbital surgery, 160-161
 margin of, and lateral canthal raphe, 716
 Oriental and Caucasian, differences between, 714-715
 Oriental, problems associated with, 711
 paralytic, treatment of, 720
 postoperative, assessment of, 703
 ptosis of, Müller's muscle and, 699
 regional structures affecting appearance of, 711-713
 shape of, 693-694
 surgical anatomy of, 693-701
 importance of knowledge of, 693
 upper, concavity of, 704
 alteration of, 718
- Face(s), abnormalities of, tissue expansion in, 148
 aesthetics of, 737
 anatomy of skin and fascial layers of, in aesthetic surgery, 677-682

- asymmetry of, facial implant design in, 665-668
- atrophy of, tissue expansion in, 151-152
- comparisons of, 601
- contours of, establishment of, to create "normal," 728-733
- cystic lesions of, 327-331, 338
- deformity of, desire to look normal in, 725
 - eyes seeing, 725
 - replacement of regional units in, 728
- development of, factors influencing, 187-188
- dysmorphology of, in frontoethmoidal meningoencephaloceles, 85
- ethnic variations in, 601-602, 603
- evaluation of, soft-tissue analysis in, 767-770
- frontal view of, analysis of, 611-614
- harmonious, prerequisites for, 2-6
- in orbital neurofibromatosis, 128-129
 - surgical management of, 131
- inclinations and angles of, 610-611
- landmarks on, 768
- lateral view of, analysis of, 614
- measurements of, 6-7, 768-770
 - and proportions of, 604, 605, 606
- mid-, intraoperative sustained limited expansion for, 569-570
 - nose and, 713
- nerves of, identification of branches of, 785-787
- of women, aesthetics of, anthropometrics and art in, 599-616
 - physiognomy of, art in, 599
 - proportions of, 589-590
 - retrusion of, craniosynostoses, 62, 63, 70
 - tissue expansion of, following burns, 545, 546
- Face lift(s), double layer SMAS, 786-787
 - excision schemes for, 640, 657
 - forehead lift, excision schemes for, 642, 657, 659
 - serial, 658, 659
 - SMAS-platysma, 678-682
- Facial aesthetic surgery, definitions in, 600
- Facial beauty, art, love, and, 579-583
 - Rubens' idea of, 580, 582
 - to Greeks in 4th century B.C., 579, 581-582
 - to Pre-Raphaelite artists, 581
 - Victorian ideas of, 582
- Facial harmony, 614
- Facial implants, biomaterials for, 668-669
 - computer-designed, advantages of, 668
 - clinical trials in, 669-670
 - future applications of, 668
 - design and manufacture of, 3-D computed tomography for, 663-676
- Faciocraniosynostosis, 63, 65, 68, 71
- Fasciitis, nodular, pseudosarcomatous, 408
- Fat(s), atrophy, in enophthalmos, 114
 - displacement, in enophthalmos, 114-115
 - subcutaneous, deficiency of, in hemifacial microsomia, 97-99
- Fat sculpturing, in neck contour deformities, 688-689
- Fiberoptic intubation, for craniofacial procedures, 21
- Fibroblasts, benign lesions of, 406
- Fibroma, 226
- Fibromatosis, juvenile, 406
- Finger(s), saw injury to, tissue expansion in, 539
- Fissural cysts, 338
- Fistula(s), arteriovenous, 351-353
 - congenital, 376
 - of hand, 409-410
- Flap(s). See also specific types and locations of.
 - failure of, during tissue expansion, 550
 - histologic findings in, in intraoperative sustained limited expansion, 566
 - myocutaneous, expanded, clinical use of, 529-534
 - scalp, in male baldness, 486-487
 - survival of, in rapid tissue expansion, 459
 - vascularized, in craniofacial microsomia, 185
 - in cranio-orbital tumors, 138
- Floating forehead procedure, 65, 66, 67, 70
- Folliculitis, 217-218
- Forehead, abnormalities of, tissue expansion in, 146-147, 148
 - aesthetic characteristics of, 709
 - analysis of, 591-593
 - in orbital neurofibromatosis, surgical management of, 131-133
 - parts of, 63
 - reconstruction of, intraoperative sustained limited expansion for, 569
- François syndrome, ocular involvement in, 127-128
- Freckle, 278
 - Hutchinson's, 280, 281, 282
- Frenulum, 742
- Frontocranial remodeling, in craniosynostoses, 63
 - results of, and indications for, 66, 67, 69-71
 - timing and indications for, 71
- Frontoethmoidal meningoencephaloceles. See *Meningoencephaloceles, frontoethmoidal*.
- Frontofacial advancement, in craniosynostosis, 69, 70-71, 76
- Fronto-orbital advancement, in symmetric synostoses, 75, 77
- Frontoparietal flap(s), 42-47
- Fulguration, 241
- Galeal flaps, in craniofacial surgery, 33
- Ganglion(s), 339
 - of hand, 405-406
- Gastroschisis, 337
- Giant-cell tumor(s), 228
 - of tendon sheath, 406, 407
- Gigantism, local, 368-369, 371
 - vascular, 353-354
- Glabella region, alteration of, 717
- Gland(s). See *specific glands*.
- Glioma(s), nasal, 330, 334
 - optic, 124-125, 127
- Globe, position of, in craniosynostosis, 55, 56
 - in post-traumatic enophthalmos, 113
 - positioning of, 709
- Glomus tumors, of hand, 410
- Glucocorticoids, injection of, in scar treatment, 257-258
- Goldenhar's syndrome, abnormalities associated with, 18
- Grafting, bone. See *Bone grafting*.
- Granular-cell myoblastomas, 408
- Granular-cell tumor, 227-228
- Granuloma(s), pyogenic, 345
 - of hand, 410-411
- Granuloma annulare, 219-220
- Growth, correction of craniofacial microsomia and, 184, 185
- Haber's syndrome, 417
- Hair, dermal, 205-206
- Hair cysts, eruptive vellus, 339
- "Hair lifting," in male baldness, 478
- Hair plugs, in male baldness, 470
- Hair replacement surgery, advances in, 477
- Hair transplants, scalp expansion following, 480-482
- Hairline, establishment of, for scalp expansion, 474

- Hamartoma(s), 372
- Hand, benign skin and soft-tissue tumors of, 403-412
brachydactyly and syndactyly of, tissue expansion in, 536-539
tissue expansion in, 535
- Head(s), comparisons of, 600
cystic masses in, 327-339
deformities of, and proportion indices, 7
ethnic variations in, 601-602, 603
form of, masses and, 588
landmarks of, for cranio-orbital surgery, 1, 2
measurements and proportions of, 601
submental region of, deformities of, treatment of, 782
- Hemangiolympangioma, 351
- Hemangioma(s), 372, 373, 374-375, 376-377
cutaneous, and lymphangiomas, 341-356
lobulated capillary, 345
of hand, 408-409
of head and neck, 336
ulcerating bleeding, rapid tissue expansion in, 460, 462
verrucous keratotic, 349, 350
- Hematoma(s), following burn management, 548
following enophthalmos correction, 119
in neck contour deformity surgery, 690
- Hemifacial microsomia. See also *Craniofacial microsomia*.
analysis and treatment of, in childhood, 91-100
as progressive deformity, 91, 100
classification of deformity in, 91-93
combined orthodontic-surgical management of, 93-97, 98
hypoplastic mandible in, 91
postoperative complications of, 99-100
skeletal deformities in, 92-93
soft-tissue defects in, 91-92
correction of, 97-99
- Hidradenitis suppurativa, 383-390
clinical manifestations of, 386-388
epidemiology of, 386
history of, 383-384
pathogenesis of, 384-386
treatment of, 388-390
- Hidradenoma, clear-cell, 234
- Hidradenoma papilliferum, 233
- Histiocytoma, fibrous, 229
- Hormonal therapy, in acne, 263-264
- Horner's syndrome, 699
- Horns, cutaneous, clinical findings in, 416-417
description of, 416
etiology and incidence of, 416
treatment of, 417
- Hutchinson's freckle, 290, 281, 282
- Hydrocephalus, in craniofacial deformities, 188-189, 190
in craniosynostosis, 69
in frontoethmoidal meningoencephaloceles, 86, 88
- Hydrocystoma, apocrine, 233
- Hydroxyapatite, for facial implants, 669
for grafts in craniofacial surgery, 29-30
- Hygroma(s), cystic, 336-337, 350-351, 352
- Hyperexpansion, in reconstruction of pendulous breast, 500
- Hyperpigmentation, 302
- Hyperplasia, dermal, 233-234
- Hypopigmentation, 302
- Hypotension, induced, for craniofacial procedures, 24
- Incision(s), for aesthetic surgery of nose, 745, 746, 747
for breast reconstruction with tissue expanders, 493-495
- Infant(s), craniofacial anomalies in, radical treatment of, 101-111
craniosynostosis in, treatment of, 61-72
- Infection(s), following tissue expansion for breast reconstruction, 515
postoperative, in hemifacial microsomia, 99
prevention of, in craniofacial surgery, 192
- Informed consent, for tissue expansion, 549
- Infraorbital rim(s), and malar bone, 713, 720
- Injection(s), in scar treatment, 257-258
- Interbrow, 708-709
- Intercanthal distance, 717
alteration of, 718
- Intestine(s), small. See *Bowel, small*.
- Intracranial pressure, assessment of, in craniosynostosis, 62, 71
increased, in craniofacial deformities, 188, 189
monitoring of, following craniofacial surgery, 192
- Intraoperative sustained limited expansion (ISLE), 563-573
advantages of, 563
and tissue gain, 564
as immediate reconstructive technique, 563-573
blood flow during, 566
clinical application of, 565
clinical experience with, 569-572
concept of, 563-564
description of, 566
flaps, histologic findings in, 566
indications for, 564-565
patient information for, 565
physiologic changes in, 565-566
protheses for, 567
technique of, 567-569
- Jaws, aesthetic defects of, soft-tissue manifestations of, 767-783
surgical treatment of, 771-782
combined surgery in, 775, 778, 779
- Juri flap, in male baldness, 470-472, 484, 485, 488
- Keloid(s), 253, 256, 258-259
- Keratoacanthoma(s), 403-404, 425
- Keratosis(es), actinic. See *Actinic keratosis(es)*.
seborrheic, 404
- Kleeblattschädel, 187, 188
- Klippel-Trenaunay-Weber syndrome, 369, 375
- Lacrimal pump mechanism, 156, 157
- Lacrimal reconstruction, in cranio-orbital surgery, 160
- Laryngoceles, 339
- Lashes, 706
- Leiomyoma(s), 228
of hand, 408
- Lentigo, 278-280
Lentigo maligna, 280, 281, 282
- Lesions, precancerous, of hand, 404-405
nonpigmented, of skin, 413-423
- Levator muscle, anatomy of, 699
in ptosis, 699-701
in thyroid exophthalmos, 701
- Lichen planus, 211-213
- Lid-opening mechanism, tarsus and, 714
- Iliac crest grafts, 33, 34
- Implant(s), facial. See *Facial implants*.
for tissue expansion in breast reconstruction, 510-511

- Lids. See *Eyelid(s)*.
- Lipoma(s), 226
in hand, 406, 407
- Lip(s), analysis of, 595
comparisons of, 607-608
lower, protrusion of, treatment of, 781-782
measurements and proportions of, 608
upper, deficient, cross-lip flap in, 781
units of, 725, 727
- Lipectomy, suction-assisted, of neck, 737, 738
- Liquid nitrogen, 238-239
- Love, art, and facial beauty, 579-583
- Lymphadenopathy, cervical, 336
- Lymphangiectasia, 377
- Lymphangiohemangioma, 351, 353
- Lymphangioma(s), 372, 373, 377
cavernous, 350, 352
cutaneous hemangiomas and, 341-356
of hand, 410
simplex and circumscripta, 349-350, 351
- Lymphangioplasty, in lymphedema, 308
- Lymphatic drainage, of skin, 204
- Lymphatic system, anatomy of, 303-304
physiology of, 304
- Lymphedema, 303-313
clinical characteristics of, 305-306
differential diagnosis of, 306-307
medical management of, 307-308
pathophysiology of, 304-305
primary, 377
secondary, 377
surgical procedures in, 308-311
- Lymphovenous shunt, in lymphedema, 309-310
- Malar bags and festoons, management of, 720
- Malar bone, infraorbital rims and, 713, 720
- Malignancy, in neurofibromatosis, 320
- Mammoplasty, augmentation, tissue expander in, 526
reduction, in reconstruction of pendulous breast, 507
- Mandible, abnormalities of, in craniofacial anomalies, 18
correction of, in hemifacial microsomia, 95
deformities of, surgical treatment of, 771-772, 773
hypoplastic, in hemifacial microsomia, 91
morphology of, in craniostylosis, 56, 59
- Manometric pressure determinations, in rapid tissue expansion, 457
- Masses and form of head, 588
- Mastectomy, modified radical, expanded myocutaneous flaps following, 532-533
immediate breast reconstruction following, 491, 493, 495
reconstruction of pendulous breast in, 503, 504, 506
tissue expansion months following, 516, 517
tissue expansion years following, 511-515
radical, expanded myocutaneous flaps following, 529-531
subcutaneous, implant following, 520-525
- Maxilla, deformities of, surgical treatment of, 772-775
overlay of, in defects of jaws, 779-781
protrusion of, treatment of, 774-775, 776
retrusion of, treatment of, 772-774
vertical deficiency of, treatment of, 775, 778
vertical excess of, 775, 777
- Maxillofacial surgery, soft-tissue changes following, 770
- Measurements, for cranio-orbital surgery, 2, 3-6
in cranial deformities, 6-7
in orbital deformities, 10-11
intraoperative, in precision nasal profileplasty, 631-637
- Meningoceles, 337
- Meningoencephalocele(s), definition of, 83
frontoethmoidal, 83-89
cerebral anomalies in, 85-86
classification of, 83-84
clinical presentation of, 86-87
complications of, 86
etiology of, 83
external mass, 84, 85
external skull defect in, 84-85
facial dysmorphology in, 85
hydrocephalus in, 86, 88
internal skull defect in, 84
nasofrontal, 83, 84
ocular anomalies in, 86
operative treatment of, 87-88
pathology of, 84-86
- Meningomyelocele, 337
- Mesenchymoma, 228
- Methacrylate, for facial implants, 669
for grafts in craniofacial surgery, 30
- Microsomia, hemifacial. See *Craniofacial microsomia; Hemifacial microsomia*.
- Milia, 338
- Miliaria, 218-219
- Miniplates, in craniofacial surgery, 101-111
- Mongolian spot, 285, 286
- Motility problems, management of, in cranio-orbital surgery, 161
- Mouth(s), analysis of, 595
comparisons of, 607-608
- Mucous cysts, of hand, 406
- Müller's muscle, anatomy of, 699
ptosis and, 699
- Muscle(s). See also specific muscles.
human, under expander, 440
skeletal, in reconstruction, 551
smooth, elongation of peripheral nerve and viscera containing, 551-562
- Musculo-aponeurotic system, superficial. See *SMAS*.
- Myelomeningocele, thoracolumbar, rapid tissue expansion in, 460, 461
- Myoblastomas, granular-cell, 408
- Myocutaneous flaps, expanded, clinical use of, 529-534
- Nasal spine, anterior, 742
- Nasolabial angle, 742
- Nasolabial fold, in orbital neurofibromatosis, 133
- Nasolacrimal evaluation, for cranio-orbital surgery, 157-158
- Neck, contour deformities of, causes of, 691
dissection techniques in, 689
fat sculpturing techniques in, 688-689
in young persons, incisions in, 687
incisions anterior to ear in, 686
incisions around ear lobe in, 685-686
incisions posterior to ear in, 685, 686
occipital incision closure in, 690
platysma muscle surgery in, 688
skin excision and suturing in, 689-690
submental incision in, 686-687
surgical correction of, 683-692
complications of, 690-691
history of, 683
preoperative evaluation for, 683-684
procedures for, 691-692
contraction of, following burns, expanded flaps in, 531-532
cystic masses in, 327-339
intraoperative sustained limited expansion of, 569-570

Neck (*Continued*)

- suction-assisted lipectomy of, 737, 738
- tissue expansion of, following burns, 545, 546
- Neoplasm(s), benign, of oral cavity, 223-231
 - of parotid gland, 339
 - of thyroid gland, 338-339
- Nerve(s), facial, branches of, identification of, 785-787
- injury to, in neck contour deformity surgery, 690-691
- of skin, 204-205
- peripheral, elongation of, 551-562
 - clinical experience with, 552-553
 - in reconstruction, 552
 - laboratory studies in, 553, 554, 555
 - rationale for, 552
- Nervous system, central, neurofibromatosis of, 124-125
 - in neurofibromatosis, 320
 - peripheral, neurofibromatosis of, 125-126
- Neurilemoma(s), 226-227
- of hand, 406, 408
- Neurofibroma(s), 227
- of hand, 408
- of peripheral nervous system, 125, 126
- plexiform, 369, 370
- Neurofibromatosis, 315-325
 - bilateral nodular, 124
 - clinical features of, 126-127, 130
 - clinical heterogeneity of, 315-316
 - elephantiasis, 124, 128
 - history of, 123-124
 - manifestations of, 317
 - orbital, 123-135
 - bilateral diffuse, 124
 - pathology of, 124-126
 - surgery in, 129-134, 321
- Neuromuscular deficits, in hemifacial microsomia, 98-99
- Neurosurgical considerations, in cranio-orbital surgery, 187-193
- Nevus, Becker's, 289, 290
 - blue, 280, 284
 - clinical and histologic features of, and treatment approaches, 277-300
 - congenital, versus acquired, 290-292
 - dysplastic, 287-289
 - epidermal, 297
 - giant pigmented, 371-372
 - halo, 289, 290
 - intra dermal, 280, 282, 283
 - junctional, 280, 282
 - large congenital, surgical management of, 294-297
 - melanocytic, 277-297
 - neural, 286-287
 - of Ito, 286
 - of Ota, 286
 - pigmented, 404
 - recurrent, 289-290, 291
 - risk of malignancy and, 292-294
 - sebaceous, 297-299
 - spitz, 286, 287
 - Sutton's, 289, 290
- Nevus flammeus, 341-342, 343
- Nose(s), abnormalities of, tissue expansion in, 147-148
 - aesthetic surgery of, anatomy of, 737-748
 - aesthetics of, 737-739
 - alar bases of, in rhinoplasty, 744-745
 - analysis of, 595
 - and middle third of face, in aesthetic surgery, 713
 - bones of, 744
 - comparisons of, 607
 - equilibrium of, 623
 - ethnic variations in, 607
 - full-thickness defect of, frontoparietal flap in, 46, 47
 - gliomas of, 330, 334
 - lower lateral cartilages of, functional anatomy of, 740-741
 - surgical anatomy of, 741-742
 - measurements and proportions of, 606
 - non-Caucasian, aesthetic anatomy of, 749-765
 - bony pyramid and dorsal bridge of, 749
 - surgical treatment of, 752-757, 758-765
 - tip of, 749, 750-752
 - open rhinoplasty of, 747
 - reconstruction of, intraoperative sustained limited expansion for, 570-571
 - skin of, anatomy of, 745-747
 - tip of, deviations of, 743
 - tip projection, 739-742
 - upper lateral cartilages of, 743
- Observations, first, in aesthetic surgery, 587-588
- Odontogenic tumors, epithelial, 223-224
 - mesodermal, 224-225
- Omphalocele, 337
- Ophthalmic considerations, in cranio-orbital surgery, 155-162
- Oral cavity, benign neoplasms of, 223-231
 - cysts of, 338
- Oral commissure, in orbital neurofibromatosis, management of, 133
- Orbicularis muscle, anatomy of, 694
 - in reconstruction of eyelid, 695
 - of lower lid, hypertrophy of, 716
 - redundancy of, 716
- Orbit(s), aesthetic surgery of, contemporary philosophy for, 720-721
 - aesthetics of, and art of eyelid aesthetics, multiracial surgical considerations in, 703-721
 - and orbital-craniofacial proportions, 11
 - asymmetry of, brow and, 713-714
 - comparisons of, 602-607
 - deep reconstruction of, for correction of post-traumatic enophthalmos, 113-121
 - enlargement of, in enophthalmos, 113, 114
 - enucleated, changes in, 720
 - in orbital neurofibromatosis, 127-128
 - management of, 130-131
 - landmarks of, for cranio-orbital surgery, 1-2
 - ligament system of, in enophthalmos, 114
 - lower, exposure of, in enophthalmos, 116-119, 120
 - measurements and proportions of, 605
 - morphology of, in craniostenosis, 53-56
 - region of, alterable aspects of, 716-720
 - shape of, 709, 711-713
 - alteration of, 718-719
- Orbital deformity(ies), 10-14
 - abnormality of intercanthal distance, 11
 - measurements in, 10-11
 - size defects, 11
- Orbital fat, 715
 - deficiency of, between medial and lateral compartments, 715
- Orbital neurofibromatosis, 123-135
- Orbital septum, and aponeurosis, union of, 714
- Orbitocraniofacial measurements, normal ranges of, age-related changes in, 11, 12-13
- Orthodontic appliances, in hemifacial microsomia, 93, 100
- Orthognathic surgery, soft-tissue response to, 770-771
- Osteoblastoma, 225-226

- Osteoconduction, 28
 Osteogenesis, 28-29
 Osteoinduction, 28
 Osteoma, 225
 osteoid, 225-226
 Osteoradionecrosis, of chest, expanded myocutaneous flaps following, 529-531
 Osteotomy(ies), in craniofacial microsomia, 178-179
 in enophthalmos, 115
 in frontoethmoidal meningoencephaloceles, 87
 in hemifacial microsomia, 95, 97
 Overgrowth, 377-378
 Oxygen tension, in tissue expansion, 455-456, 457-459
- Palpebral complex, in orbital neurofibromatosis, management of, 132, 133
 Parkes-Weber syndrome, 369, 375
 Parotid gland, neoplasms of, 339
 Peeling preparations, in acne, 263
 Perception, aesthetic, and subunit principle, 723-735
 mental processes influencing, 724-725
 psychology of, 725
 factors affecting, 585, 586
 Periosteum, anatomy of, 37-38, 39
 Phakomatoses, 367-368, 371
 Pigmentation, cutaneous, 301-302
 Pilomatrixoma, 234, 330-331, 335, 404
 Pityriasis rosea, 213
 Plagioccephaly, description of, 62
 treatment of, 65, 66, 70, 74-75
 Plastic surgeon, concepts for, from art and sculpture, 585-595
 Platysma muscle, surgery of, in neck contour deformities, 688
 Poland's syndrome, tissue expansion for reconstruction in, 515, 525
 Poroma, eccrine, 234
 Port-wine stain, 341-342, 343
 Position(ing), for breast reconstruction with tissue expanders, 493, 499-500
 Premedication, for craniofacial procedures, 19
 Pressure, scar formation and, 258
 Profileplasty, precision nasal, 631-637
 Prognathism, mandibular, treatment of, 771, 772
 Proplast, for facial implants, 669
 for grafts in craniofacial surgery, 30
 for nasal cartilage augmentation, 752, 754, 755, 756
 Proportions, of face, 589-590
 Proptosis, evaluation of, for cranio-orbital surgery, 158
 Pseudomalignancies, 367-381
 Pseudomelanoma, 289-290, 291
 Pseudotelecanthus, and epicanthal folds, 719
 Psoriasis, 209-211
 Psychosocial factors, in neurofibromatosis, 320-321
 Psychotherapy, following craniofacial trauma, 167
 in craniofacial malformation in adults, 166
 Ptosis, creation of, in breast reconstruction, 497
 levator muscle in, 699-701
 Punch autografts, in male baldness, 480, 486, 488
 Pyogenic granuloma(s), 345
 of hand, 410-411
- clinical effects of, 392-393
 management of, 393-401
 subacute, 396-397
 Reconstruction, aesthetic, principles of, 725-733
 Retinoic acid, topical, in acne, 264
 Retrognathia, mandibular, treatment of, 771-772, 773
 Revascularization, of bone grafts, 28
 Rhabdomyoma, 228-229
 Rhinophyma, 357-365
 etiology of, 357-358
 history of, 357
 medical management of, 358-360
 pathology of, 358
 progression of, 358, 359
 surgical treatment of, 360-364
 complications of, 363, 364-365
 Rhinoplasty, aesthetic, goals of, 739
 calibration and feedback for, 623-626, 627
 computer software for, 626
 expert teaching system for, 626-629
 in aesthetic defects of jaws, 779
 incisions in, anatomy of, 745
 judgment in, interactive computer graphics in, 623-630
 open, aesthetic anatomy and, 747
 Rhytidectomy, anterior skin incisions for, 654
 basic incisions for, 648
 combinations of incisions for, planning of, 657-659
 forehead and anterior scalp incisions for, 649-653, 654
 Frankfurt horizontal for, 648-649
 marking for, 648-657
 utilization of, during surgery, 660-661
 posterior skin and scalp incisions for, 654
 presurgical preparations for, immediate, 659-660
 tragal flap and wedge incisions for, 645, 654-656
 Rib grafts, in craniofacial surgery, 31-32, 33
- Salabrasion, 242
 Salivary glands, minor, tumors of, 229
 Scalp. *See also Skull.*
 anatomy of, 477-478
 cystic lesions of, 327, 329, 337-338
 expansion of, following burns, 543-545
 for male pattern baldness, 469-475
 advantages of, 487, 489
 case reports of, 480-482
 complications of, 489
 de-epithelialization of hairline flap in, 485
 disadvantages of, 488-489
 discussion of, 474-475, 485-489
 first operation in, 483-484
 home expander injection for, 485
 injection phase of, 484-485
 Juri flap in, 470-472, 484, 485, 488
 medical alternatives to, 486
 preoperative counseling for, 469-470, 482-483
 second operation in, 481, 485
 surgical alternatives to, 470, 477
 technique of, 472-474, 482-485
 history of, 478
 reconstruction of, intraoperative sustained limited expansion for, 569
 reduction of, in male baldness, 470
 vascular anatomy of, 478, 479
 Scalp flaps, in male baldness, 486-487
 Scaphocephaly, description of, 62
 treatment of, 65, 69-70, 71
 Scar(s), acne. *See Acne scars.*
 hairline, in scalp expansion, 474
- Radiation, ionizing, physical properties of, 391
 Radiation dermatitis, 391-401, 405
 Radiation injury(ies), acute, 393-395
 chronic, 397-401

- Scar(s), acne (*Continued*)
 hypertrophic, 253, 255, 257-258
 revision, 258
 widespread, 253, 254-255, 257
- Schwannoma(s), 226-227
 of hand, 406-408
 of peripheral nervous system, 125, 126
- Scissors, serrated iris, 237
- Sculpture, concepts from, for plastic surgeon, 585-598
- Sebaceous epithelioma, 234
- Sebaceous glands, 207
 tumors of, 404
- Seborrheic dermatitis, 213-214
- Seborrheic keratoses, 404
- Shape, contours, shadows, and highlights, 590-597
- Shortgut syndrome, bowel elongation in, 559
- Silicone, for facial implants, 669
- Silicone devices, for breast reconstruction with tissue expanders, 497-498
- Skeletal deformity(ies), in hemifacial microsomia, 92-93
- Skeleton. See *Bone(s)*.
- Skin. See also *Tissue(s)*.
 cysts and cyst-like lesions of, and of subcutaneous tissue, 327-340
 expansion of. See *Tissue expansion*.
 extensibility of, 451
 function of, 204-208
 in neurofibromatosis, 316-320
 in orbital neurofibromatosis, 126, 128
 morphology and function of, 201-208
 nasal, anatomy of, 745-747
 necrosis, in neck contour deformity surgery, 691
 nonpigmented premalignant lesions of, 413-423
 of face, anatomy of, in aesthetic surgery, 677-682
 of hand, benign and soft-tissue tumors of, 403-412
 structure of, 201-204, 565
 tension of, 451
 three basic properties of, 451
 viscoelasticity of, 451, 565-566
- Skin flaps. See *Flap(s)*.
- Skin lesions, benign, nonexcisional therapy for, 237-242
- Skull. See also *Intracranial pressure*.
 abnormalities of, tissue expansion in, 145
 anatomy of, 37-40
 cloverleaf, 62, 65
 defects of, in frontoethmoidal meningoencephaloceles, 84-85, 86
 soft-tissue layers of, 38-40
 volume of, calculation of, 7
- Skull base, morphology of, in craniostylosis, 52-53
- Slide projections, life-sized, precision nasal profileplasty with, 631-637
- SMAS, anatomy of, 679
 and platysma muscle support, in neck deformities, 687-688
 definition of, 677
 -platysma face lift, 678-682
- SMAS flap, dissection of, 785
 double layer, for face lifts, 786-787
- Soaps, in acne, 262
- Soft tissue(s), analysis of, in evaluation of face, 767-770
 defects of, in hemifacial microsomia, 91-92, 97-99
 expansion of. See *Tissue expansion*.
 in aesthetic defects of jaws, 767-783
 proportions of, in face, 770
 response of, to orthognathic surgery, 770-771
 tumors of, and benign skin tumors, of hand, 403-412
- Spine, defects of, in craniofacial deformities, 190
- Spiradenoma, eccrine, 234
- Steatocystoma multiplex, 339
- Stereophotogrammetry, in craniofacial deformities, 617-618
 principles of, 618-621
- Steroids, injection of, in scar treatment, 257-258
- Strawberry hemangioma, 342-345, 347, 348, 374
- Sturge-Weber syndrome, 341, 375, 376
- Subunit principle, aesthetic perception and, 723-725
- Supraorbit. See *Forehead*.
- Sweat glands, apocrine, 207-208, 383, 384
 eccrine, 206-207, 383, 384
 tumors of, 404
- Syringocystadenoma papilliferum, apocrine, 233
- Syringoma, 233
- Tarsal plate, lower, anatomy of, 697
 in reconstruction of eyelid, 697, 698
 upper, anatomy of, 697-698
 surgical significance of, 698
- Tarsus, and lid-opening mechanism, 714
- Tattoo(s), decorative and traumatic, biophysics and removal of, 243-251
 laser treatment of, 249-251
 pathophysiology of, 243
 removal of, methods of, 244-249
 principles of, 244
 traumatic, 243-244
 treatment of, 249
- Tear trough deformity, 715
 repair of, 719-720
- Telecanthus, improvement of, 719
- Temperature monitoring, for craniofacial procedures, 22
- Temporomysosseous flaps, in craniofacial surgery, 33
- Temporoparietal flap(s), 42, 43, 44, 45
- Temporo-parietal-occipital flap, in male baldness, 470-472, 474, 485, 488
- Tendon(s). See *specific tendons*.
- Tendon sheath, giant-cell tumors of, 406, 407
- Thumb, amputation of, tissue expansion in, 539-540
- Thymidine labeling, in tissue expansion, 431-432
- Thyroglossal duct cysts, 331-334
- Thyroid exophthalmos, levator muscle in, 701
- Thyroid gland, neoplasms of, 338-339
- Tissue(s). See also *Soft tissue(s)*.
 expanded, advantages of, 447
 collagen in, 450
 further characteristics of, 447-453
 human, histopathology of, 435-445
 2 years after expansion, 442, 444
 materials and methods for, 447-449
 measuring area of, 447-449
 measuring thickness of, 449-450
 origin of, 431-433
 subcutaneous, and skin, cysts and cyst-like lesions of, 327-340
 human, after expansion, 440, 442, 444
- Tissue expanders, as long-term space-occupying prostheses, 149-151
 elongation of axial blood vessels with, 465-468
 limitations of, 465-466
 microvascular anastomosis in, 466, 467
 model for, 465
 patency in, 466, 467
 results and observations in, 465-466
 vessel wall thickness and, 466
 for intraoperative sustained limited expansion, 568-569
 for scalp expansion in baldness, 472, 483
 home inflation of, 485
 infection of, 484-485

- history of, 499
- immediate breast reconstruction with. *See Breast reconstruction, immediate, with tissue expanders.*
- measured arc over, in tissue expansion, 450-451
- permanent, 519-527
- for primary reconstruction, 520, 522, 523, 524
- for secondary reconstruction, 519-520, 521
- reconstruction of pendulous breast using, 499-508
- silicone, capsule around, 440-442, 443, 444
- temporary, disadvantages of, 519
- Tissue expansion. *See also Intraoperative sustained limited expansion (ISLE)*
- advantage and disadvantages of, 143-144
- complications in, 549-550
- flap failure during, 550
- for breast reconstruction. *See Breast reconstruction, tissue expansion for.*
- for ear reconstruction, 149
- for facial abnormalities, 148
- for forehead abnormalities, 146-147, 148
- for nasal abnormalities, 147-148
- for scalp abnormalities, 145
- in burn management, 543-550
- in craniofacial surgery, 143-153
- in elongation of peripheral nerves, 552-553
- in infected tissue, 550
- in straightforward scar revision, 549
- in upper extremity, 535-542
- case histories of, 535-540
- clinical experience with, 535
- complications of, 541
- technical considerations in, 540-541
- informed consent for, 549
- laboratory work in, 151-152
- measured arc over expander and, 450-451
- measurement of area and, 448, 451
- migration in, 451, 452
- patient selection for, 549
- rapid, capillary blood flow in, 459
- case reports of, 460
- experimental and clinical evidence in, 455-467
- flap survival in, 450
- manometric pressure determinations in, 457
- materials and methods for, 455-457
- pressure measurements in, 457
- response of skin flaps to, 456
- regions reconstructed with, 543
- results of, 449-450, 457-459
- role of new cells in, 451-452
- technique of, 144-145
- tissue oxygen tension in, 455-456, 457-459
- to create milieu for bone grafting, 149, 150
- Treacher Collins syndrome, calvarial flaps in, 42, 45
- facial implants in, 670, 673
- Trichilemmoma, 234
- Trichoepithelioma, 233
- Trichofolliculoma, 234
- Tricholemmal cysts, 337-338
- Trigonocephaly, description of, 62
- treatment of, 63, 64, 69, 71
- Trochlea, craniofacial surgery and, 156, 157
- Trunk, cystic lesions of, 337, 339
- reconstruction of, intraoperative sustained limited expansion for, 571-572
- tissue expansion of, following burns, 547, 548
- Tumor(s). *See also specific tumors.*
- of epidermal appendages, 233-235
- of skin and soft-tissue, benign, of hand, 403-412
- Ultraviolet light therapy, for acne, 263
- Ureter, elongation of, 556, 560
- Vasculature, dermal, 203-204
- Vision, assessment of, for cranio-orbital surgery, 159
- Visual search, in psychology, 723
- Vitamin A, in acne, 264-265
- Von Recklinghausen's disease, 316, 369-371, 408
- Warts, 403
- Wound dehiscence, following burn management, 548
- Wound healing, and scars, 253-256
- Xeroderma pigmentosum, clinical findings in, 420-421
- definition of, 420
- etiology and incidence of, 420
- treatment of, 421
- Xerograms, calibrated, precision nasal profileplasty with, 631-637